

5% AXIAL LEADED RESISTOR

BRN BLK ORN GLD

1 0 3

IN HOUSE P/N: _____103

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

10k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED RED ORN GLD

2 2 3

IN HOUSE P/N: _____223

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

22k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

YEL VIO ORN GLD

4 7 3

IN HOUSE P/N: _____473

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

47k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN BRN ORN GLD

1 1 3

IN HOUSE P/N: _____113

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

11k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED YEL ORN GLD

2 4 3

IN HOUSE P/N: _____243

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

24k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRN BRN ORN GLD

5 1 3

IN HOUSE P/N: _____513

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

51k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN RED ORN GLD

1 2 3

IN HOUSE P/N: _____123

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

12k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED VIO ORN GLD

2 7 3

IN HOUSE P/N: _____273

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

27k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRN BLU ORN GLD

5 6 3

IN HOUSE P/N: _____563

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

56k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN ORN ORN GLD

1 3 3

IN HOUSE P/N: _____133

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

13k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN BLK ORN GLD

3 0 3

IN HOUSE P/N: _____303

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

30k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BLU RED ORN GLD

6 2 3

IN HOUSE P/N: _____623

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

62k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN GRN ORN GLD

1 5 3

IN HOUSE P/N: _____153

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

15k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN ORN ORN GLD

3 3 3

IN HOUSE P/N: _____333

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

33k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BLU GRY ORN GLD

6 8 3

IN HOUSE P/N: _____683

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

68k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN BLU ORN GLD

1 6 3

IN HOUSE P/N: _____163

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

16k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN BLU ORN GLD

3 6 3

IN HOUSE P/N: _____363

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

36k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

VIO GRN ORN GLD

7 5 3

IN HOUSE P/N: _____753

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

75k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN GRY ORN GLD

1 8 3

IN HOUSE P/N: _____183

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

18k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN WHT ORN GLD

3 9 3

IN HOUSE P/N: _____393

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

39k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRY RED ORN GLD

8 2 3

IN HOUSE P/N: _____823

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

82k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED BLK ORN GLD

2 0 3

IN HOUSE P/N: _____203

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

20k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

YEL ORN ORN GLD

4 3 3

IN HOUSE P/N: _____433

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

43k Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED BRN ORN GLD

9 1 3

IN HOUSE P/N: _____913

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: ±5% ←

91k Ω

POWER 250mW