

BRN BLK BLK SLV BRN
1 0 0 .01 F

1% AXIAL LEADED RESISTOR
1.00 Ω 1R00
@±1%

BRN BLK RED SLV BRN
1 0 2 .01 F

1% AXIAL LEADED RESISTOR
1.02 Ω 1R02
@±1%

BRN BLK GRN SLV BRN
1 0 5 .01 F

1% AXIAL LEADED RESISTOR
1.05 Ω 1R05
@±1%

BRN BLK VIO SLV BRN
1 0 7 .01 F

1% AXIAL LEADED RESISTOR
1.07 Ω 1R07
@±1%

BRN BRN BLK SLV BRN
1 1 0 .01 F

1% AXIAL LEADED RESISTOR
1.10 Ω 1R10
@±1%

BRN BRN ORN SLV BRN
1 1 3 .01 F

1% AXIAL LEADED RESISTOR
1.13 Ω 1R13
@±1%

BRN BRN GRN SLV BRN
1 1 5 .01 F

1% AXIAL LEADED RESISTOR
1.15 Ω 1R15
@±1%

BRN BRN GRY SLV BRN
1 1 8 .01 F

1% AXIAL LEADED RESISTOR
1.18 Ω 1R18
@±1%

BRN RED BLK SLV BRN
1 2 0 .01 F

1% AXIAL LEADED RESISTOR
1.20 Ω 1R20
@±1%

BRN RED BRN SLV BRN
1 2 1 .01 F

1% AXIAL LEADED RESISTOR
1.21 Ω 1R21
@±1%

BRN RED YEL SLV BRN
1 2 4 .01 F

1% AXIAL LEADED RESISTOR
1.24 Ω 1R24
@±1%

BRN RED VIO SLV BRN
1 2 7 .01 F

1% AXIAL LEADED RESISTOR
1.27 Ω 1R27
@±1%

BRN ORN BLK SLV BRN
1 3 0 .01 F

1% AXIAL LEADED RESISTOR
1.30 Ω 1R30
@±1%

BRN ORN ORN SLV BRN
1 3 3 .01 F

1% AXIAL LEADED RESISTOR
1.33 Ω 1R33
@±1%

BRN ORN VIO SLV BRN
1 3 7 .01 F

1% AXIAL LEADED RESISTOR
1.37 Ω 1R37
@±1%

BRN YEL BLK SLV BRN
1 4 0 .01 F

1% AXIAL LEADED RESISTOR
1.40 Ω 1R40
@±1%

BRN YEL ORN SLV BRN
1 4 3 .01 F

1% AXIAL LEADED RESISTOR
1.43 Ω 1R43
@±1%

BRN YEL VIO SLV BRN
1 4 7 .01 F

1% AXIAL LEADED RESISTOR
1.47 Ω 1R47
@±1%

BRN GRN BLK SLV BRN
1 5 0 .01 F

1% AXIAL LEADED RESISTOR
1.50 Ω 1R50
@±1%

BRN GRN YEL SLV BRN
1 5 4 .01 F

1% AXIAL LEADED RESISTOR
1.54 Ω 1R54
@±1%

BRN GRN GRY SLV BRN
1 5 8 .01 F

1% AXIAL LEADED RESISTOR
1.58 Ω 1R58
@±1%

BRN BLU BLK SLV BRN
1 6 0 .01 F

1% AXIAL LEADED RESISTOR
1.60 Ω 1R60
@±1%

BRN BLU RED SLV BRN
1 6 2 .01 F

1% AXIAL LEADED RESISTOR
1.62 Ω 1R62
@±1%

BRN BLU GRN SLV BRN
1 6 5 .01 F

1% AXIAL LEADED RESISTOR
1.65 Ω 1R65
@±1%

BRN BLU WHT SLV BRN
1 6 9 .01 F

1% AXIAL LEADED RESISTOR
1.69 Ω 1R69
@±1%

BRN VIO YEL SLV BRN
1 7 4 .01 F

1% AXIAL LEADED RESISTOR
1.74 Ω 1R74
@±1%

BRN VIO GRY SLV BRN
1 7 8 .01 F

1% AXIAL LEADED RESISTOR
1.78 Ω 1R78
@±1%

BRN GRY BLK SLV BRN
1 8 0 .01 F

1% AXIAL LEADED RESISTOR
1.80 Ω 1R80
@±1%

BRN GRY RED SLV BRN
1 8 2 .01 F

1% AXIAL LEADED RESISTOR
1.82 Ω 1R82
@±1%

BRN BLK VIO SLV BRN
1 8 7 .01 F

1% AXIAL LEADED RESISTOR
1.87 Ω 1R87
@±1%

BRN WHT BRN SLV BRN
1 9 1 .01 F

1% AXIAL LEADED RESISTOR
1.91 Ω 1R91
@±1%

BRN WHT BLU SLV BRN
1 9 6 .01 F

1% AXIAL LEADED RESISTOR
1.96 Ω 1R96
@±1%

RED BLK BLK SLV BRN
2 0 0 .01 F

1% AXIAL LEADED RESISTOR
2.00 Ω 2R00
@±1%

RED BLK GRN SLV BRN
2 0 5 .01 F

1% AXIAL LEADED RESISTOR
2.05 Ω 2R05
@±1%

RED BRN BLK SLV BRN
2 1 0 .01 F

1% AXIAL LEADED RESISTOR
2.10 Ω 2R10
@±1%

RED BRN GRN SLV BRN
2 1 5 .01 F

1% AXIAL LEADED RESISTOR
2.15 Ω 2R15
@±1%

RED RED BLK SLV BRN
2 2 0 .01 F

1% AXIAL LEADED RESISTOR
2.20 Ω 2R20
@±1%

RED RED BLK SLV BRN
2 2 1 .01 F

1% AXIAL LEADED RESISTOR
2.21 Ω 2R21
@±1%

RED RED BLU SLV BRN
2 2 6 .01 F

1% AXIAL LEADED RESISTOR
2.26 Ω 2R26
@±1%

RED ORN RED SLV BRN
2 3 2 .01 F

1% AXIAL LEADED RESISTOR
2.32 Ω 2R32
@±1%

RED ORN VIO SLV BRN
2 3 7 .01 F

1% AXIAL LEADED RESISTOR
2.37 Ω 2R37
@±1%

RED YEL BLK SLV BRN
2 4 0 .01 F

1% AXIAL LEADED RESISTOR
2.40 Ω 2R40
@±1%

RED YEL ORN SLV BRN
2 4 3 .01 F

1% AXIAL LEADED RESISTOR
2.43 Ω 2R43
@±1%

RED YEL WHT SLV BRN
2 4 9 .01 F

1% AXIAL LEADED RESISTOR
2.49 Ω 2R49
@±1%

RED BLK BLK SLV BRN
2 5 5 .01 F

1% AXIAL LEADED RESISTOR
2.55 Ω 2R55
@±1%

RED BLU BRN SLV BRN
2 6 1 .01 F

1% AXIAL LEADED RESISTOR
2.61 Ω 2R61
@±1%

RED BLU VIO SLV BRN
2 6 7 .01 F

1% AXIAL LEADED RESISTOR
2.67 Ω 2R67
@±1%

RED VIO BLK SLV BRN
2 7 0 .01 F

1% AXIAL LEADED RESISTOR
2.70 Ω 2R70
@±1%

RED VIO YEL SLV BRN
2 7 4 .01 F

1% AXIAL LEADED RESISTOR
2.74 Ω 2R74
@±1%

RED GRY BLK SLV BRN
2 8 0 .01 F

1% AXIAL LEADED RESISTOR
2.80 Ω 2R80
@±1%

RED GRY VIO SLV BRN
2 8 7 .01 F

1% AXIAL LEADED RESISTOR
2.87 Ω 2R87
@±1%

RED WHT YEL SLV BRN
2 9 4 .01 F

1% AXIAL LEADED RESISTOR
2.94 Ω 2R94
@±1%

BRN BLK BLK SLV BRN
3 0 0 .01 F

1% AXIAL LEADED RESISTOR
3.00 Ω 3R00
@±1%

BRN BLK BRN SLV BRN
3 0 1 .01 F

1% AXIAL LEADED RESISTOR
3.01 Ω 3R01
@±1%

ORN BLK WHT SLV BRN
3 0 9 .01 F

1% AXIAL LEADED RESISTOR
3.09 Ω 3R09
@±1%

ORN BRN GRN SLV BRN
3 1 6 .01 F

1% AXIAL LEADED RESISTOR
3.16 Ω 3R16
@±1%

ORN RED YEL SLV BRN
3 2 4 .01 F

1% AXIAL LEADED RESISTOR
3.24 Ω 3R24
@±1%

ORN ORN BLK SLV BRN
3 3 0 .01 F

1% AXIAL LEADED RESISTOR
3.30 Ω 3R30
@±1%

ORN ORN RED SLV BRN
3 3 2 .01 F

1% AXIAL LEADED RESISTOR
3.32 Ω 3R32
@±1%

ORN YEL BLK SLV BRN
3 4 0 .01 F

1% AXIAL LEADED RESISTOR
3.40 Ω 3R40
@±1%

ORN YEL GRN SLV BRN
3 4 6 .01 F

1% AXIAL LEADED RESISTOR
3.46 Ω 3R46
@±1%

ORN BLU VIO SLV BRN
3 5 7 .01 F

1% AXIAL LEADED RESISTOR
3.57 Ω 3R57
@±1%

ORN GRN BLK SLV BRN
3 6 0 .01 F

1% AXIAL LEADED RESISTOR
3.60 Ω 3R60
@±1%

ORN GRN BLU SLV BRN
3 6 5 .01 F

1% AXIAL LEADED RESISTOR
3.65 Ω 3R65
@±1%

ORN VIO YEL SLV BRN
3 7 4 .01 F

1% AXIAL LEADED RESISTOR
3.74 Ω 3R74
@±1%

ORN GRY ORN SLV BRN
3 8 3 .01 F

1% AXIAL LEADED RESISTOR
3.83 Ω 3R83
@±1%

ORN WHT BLK SLV BRN
3 9 0 .01 F

1% AXIAL LEADED RESISTOR
3.90 Ω 3R90
@±1%

ORN WHT RED SLV BRN
3 9 2 .01 F

1% AXIAL LEADED RESISTOR
3.92 Ω 3R92
@±1%

YEL BLK RED SLV BRN
4 0 2 .01 F

1% AXIAL LEADED RESISTOR
4.02 Ω 4R02
@±1%

YEL BRN RED SLV BRN
4 1 2 .01 F

1% AXIAL LEADED RESISTOR
4.12 Ω 4R12
@±1%

YEL RED RED SLV BRN
4 2 2 .01 F

1% AXIAL LEADED RESISTOR
4.22 Ω 4R22
@±1%

YEL ORN BLK SLV BRN
4 3 0 .01 F

1% AXIAL LEADED RESISTOR
4.30 Ω 4R30
@±1%

YEL ORN RED SLV BRN
4 3 2 .01 F

1% AXIAL LEADED RESISTOR
4.32 Ω 4R32
@±1%

YEL YEL RED SLV BRN
4 4 2 .01 F

1% AXIAL LEADED RESISTOR
4.42 Ω 4R42
@±1%

YEL BLU ORN SLV BRN
4 5 3 .01 F

1% AXIAL LEADED RESISTOR
4.53 Ω 4R53
@±1%

YEL GRN YEL SLV BRN
4 6 4 .01 F

1% AXIAL LEADED RESISTOR
4.64 Ω 4R64
@±1%

YEL VIO BLK SLV BRN
4 7 0 .01 F

1% AXIAL LEADED RESISTOR
4.70 Ω 4R70
@±1%

YEL VIO BLU SLV BRN
4 7 5 .01 F

1% AXIAL LEADED RESISTOR
4.75 Ω 4R75
@±1%

YEL GRY VIO SLV BRN
4 8 7 .01 F

1% AXIAL LEADED RESISTOR
4.87 Ω 4R87
@±1%

YEL WHT WHT SLV BRN
4 9 9 .01 F

1% AXIAL LEADED RESISTOR
4.99 Ω 4R99
@±1%

BLU BRN BLK SLV BRN
5 1 0 .01 F

1% AXIAL LEADED RESISTOR
5.10 Ω 5R10
@±1%

BLU BRN BRN SLV BRN
5 1 1 .01 F

1% AXIAL LEADED RESISTOR
5.11 Ω 5R11 @±1%

BLU RED ORN SLV BRN
5 2 3 .01 F

1% AXIAL LEADED RESISTOR
5.23 Ω 5R23 @±1%

BLU ORN GRN SLV BRN
5 3 6 .01 F

1% AXIAL LEADED RESISTOR
5.36 Ω 5R36 @±1%

BLU YEL WHT SLV BRN
5 4 9 .01 F

1% AXIAL LEADED RESISTOR
5.49 Ω 5R49 @±1%

BLU GRN BLK SLV BRN
5 6 0 .01 F

1% AXIAL LEADED RESISTOR
5.60 Ω 5R60 @±1%

BLU GRN RED SLV BRN
5 6 2 .01 F

1% AXIAL LEADED RESISTOR
5.62 Ω 5R62 @±1%

BLU VIO GRN SLV BRN
5 7 6 .01 F

1% AXIAL LEADED RESISTOR
5.76 Ω 5R76 @±1%

BLU WHT BLK SLV BRN
5 9 0 .01 F

1% AXIAL LEADED RESISTOR
5.90 Ω 5R90 @±1%

GRN BLK YEL SLV BRN
6 0 4 .01 F

1% AXIAL LEADED RESISTOR
6.04 Ω 6R04 @±1%

GRN BRN WHT SLV BRN
6 1 9 .01 F

1% AXIAL LEADED RESISTOR
6.19 Ω 6R19 @±1%

GRN RED BLK SLV BRN
6 2 0 .01 F

1% AXIAL LEADED RESISTOR
6.20 Ω 6R20 @±1%

GRN ORN YEL SLV BRN
6 3 4 .01 F

1% AXIAL LEADED RESISTOR
6.34 Ω 6R34 @±1%

GRN YEL WHT SLV BRN
6 4 9 .01 F

1% AXIAL LEADED RESISTOR
6.49 Ω 6R49 @±1%

GRN GRN BLU SLV BRN
6 6 5 .01 F

1% AXIAL LEADED RESISTOR
6.65 Ω 6R65 @±1%

GRN GRY BLK SLV BRN
6 8 0 .01 F

1% AXIAL LEADED RESISTOR
6.80 Ω 6R80 @±1%

GRN GRY BRN SLV BRN
6 8 1 .01 F

1% AXIAL LEADED RESISTOR
6.81 Ω 6R81 @±1%

GRN WHT GRY SLV BRN
6 9 8 .01 F

1% AXIAL LEADED RESISTOR
6.98 Ω 6R98 @±1%

VIO BRN BLU SLV BRN
7 1 5 .01 F

1% AXIAL LEADED RESISTOR
7.15 Ω 7R15 @±1%

VIO ORN RED SLV BRN
7 3 2 .01 F

1% AXIAL LEADED RESISTOR
7.32 Ω 7R32 @±1%

VIO BLU BLK SLV BRN
7 5 0 .01 F

1% AXIAL LEADED RESISTOR
7.50 Ω 7R50 @±1%

VIO GRN GRY SLV BRN
7 6 8 .01 F

1% AXIAL LEADED RESISTOR
7.68 Ω 7R68 @±1%

VIO GRY VIO SLV BRN
7 8 7 .01 F

1% AXIAL LEADED RESISTOR
7.87 Ω 7R87 @±1%

GRY BLK GRN SLV BRN
8 0 6 .01 F

1% AXIAL LEADED RESISTOR
8.06 Ω 8R06 @±1%

GRY RED BLK SLV BRN
8 2 0 .01 F

1% AXIAL LEADED RESISTOR
8.20 Ω 8R20 @±1%

GRY RED BLU SLV BRN
8 2 5 .01 F

1% AXIAL LEADED RESISTOR
8.25 Ω 8R25 @±1%

GRY YEL BLU SLV BRN
8 4 5 .01 F

1% AXIAL LEADED RESISTOR
8.45 Ω 8R45 @±1%

GRY GRN GRN SLV BRN
8 6 6 .01 F

1% AXIAL LEADED RESISTOR
8.66 Ω 8R66 @±1%

GRY GRY VIO SLV BRN

8 8 7 .01 F

1% AXIAL LEADED RESISTOR

8.87 Ω 8R87 @±1%

WHT BLK WHT SLV BRN

9 0 9 .01 F

1% AXIAL LEADED RESISTOR

9.09 Ω 9R09 @±1%

WHT BRN BLK SLV BRN

9 1 0 .01 F

1% AXIAL LEADED RESISTOR

9.10 Ω 9R10 @±1%

WHT ORN BRN SLV BRN

9 3 1 .01 F

1% AXIAL LEADED RESISTOR

9.31 Ω 9R31 @±1%

WHT BLU ORN SLV BRN

9 5 3 .01 F

1% AXIAL LEADED RESISTOR

9.53 Ω 9R53 @±1%

WHT VIO GRN SLV BRN

9 7 6 .01 F

1% AXIAL LEADED RESISTOR

9.76 Ω 9R76 @±1%